













PRICES 2010/1.3







24. Jan 2011



BATTERY LIGHTS			RRP w/o tax
Art. KA600	 	<p><u>SUPERNOVA AIRSTREAM</u></p> <ul style="list-style-type: none"> • Li-Ion battery with 2500 mAh capacity= 9.25 W/h • Integrated charge electronics for optimized charging • Power supply for 110-240 V • 80% quick charging in 4 hours • Deep discharge protection • USB-charging capability (with optional cable) • 4 brightness settings (2.5-24+ hrs burn time) • CREE XPG R5 LED with 370 Lumens max. brightness! • Glare-free SUPERNOVA TERRAFLUX lens • Ultra light aluminium housing with protective anodization • Stainless steel bolts • Computer-calculated AIRSTREAM cooling fins • 19 cooling channels for optimized heat dissipation • Removable mounting bracket with 2-axis adjustment • For 25.4/26.0/31.6 mm handlebars and stems • 2 UV-resistant mounting o-rings with 5-year warranty • Slip-resistant Supernova logo on pull flap • 165 g – 105 x 40 mm • 4-level burn time indicator with final warning signal • Illuminated control button • Low-travel, glove-friendly activation • Safety side illumination • Self-regulating cooling electronics with micro-step adjustments for optimal efficiency in hot environments. 	167.23
KA613		<p><u>USB charge adapter cable</u></p> <ul style="list-style-type: none"> • 30 cm adapter cable USB to 2.1 mm DC jack on light • Enables charging the Airstream on standard USB ports • Enables charging on the Tout Terrain „The Plug“ (Art. KP650) 	4.25
KA604		<p><u>O-ring set</u></p> <ul style="list-style-type: none"> • Two long-life Supernova o-rings • UV-resistant EPDM-material, 5-year warranty • Two elasticity levels for mounting on differently sized bars • Slip-resistant Supernova logo on pull flap 	2.75
KP650		<p><u>TOUT TERRAIN „The Plug“</u></p> <ul style="list-style-type: none"> • Eco-friendly transformation of dynamo AC to USB DC power • Completely integrated into the steer tube • Can be switched off • Works with Garmin, Ipod & Iphone 3GS & 4G 	125.21






BATTERY LIGHTS			RRP w/o tax
HL3-B-M33-35	  	<p><u>SUPERNOVA M33</u></p> <ul style="list-style-type: none"> • Li-Ion battery with 35 Wh capacity, resistant to cold up to -5° F • Neoprene bag for bike or belt mounting • Charger integrated into battery for exact charge control • Integrated electricity meter for exact capacity signalling • 80% fast charge in 2 hours, protective slow charge the next 2 hours • Wide range power supply for 110-240 V • Gold-coated, IP67 certified 5-pin connectors <ul style="list-style-type: none"> • Cree XPG R5 LEDs – up to 1400 Lumens max. brightness! • New, even more rugged lens with improved beam pattern • 5 brightness settings • Burn time ca. 2.5 - 35 hrs • Strobe light / random flickering modes • Bright SOS / long term-SOS (>72 hours) <ul style="list-style-type: none"> • 154 g lamp head made from anodized aerospace aluminium • Rugged, versatile titanium bracket • Can be mounted on 25.4/26.0/31.6 mm handlebars & on stems, on the Supernova helmet mount and on the head strap. • Two o-rings with different elasticities (EPDM50 & 70), UV resistant material with a 5-year warranty. • LED cooled directly through the aluminium housing • 2-button control unit with 4-colour indicator lights • Ultra rugged Makrolon control unit housing • Cables protected by Santoprene-hose resistant to cold up to -40° F <ul style="list-style-type: none"> • Additional burn time indication with 15-minute indication steps • Burn time indication through main beam in helmet mode • Exact electric meter and battery voltage burn time measurements • Integrated protective circuits against overheating & deep discharge • Optional rear light running from main battery (p. 3) • 154 g lamp head + 290 g battery = 444 g complete set • 45 x 40 mm lamp head! <p>May not be legal for road use in your country. Please consult your local traffic regulation authorities.</p>	525.21
H-B-35		<p><u>M33 battery 35 Wh</u></p> <ul style="list-style-type: none"> • Burn timer 3.5-35 hrs • Neoprene bag for bike or belt mounting • Gold-coated, IP67 certified 5-pin connectors • Deep discharge protected • Integrated charge electronics for optimized charge control • Integrated power meter for exact burn time indication 	118.91
HM33-HB		<p><u>M33 head strap</u></p> <ul style="list-style-type: none"> • Adjustable to normal head sizes • Can be installed on some mountaineering helmets • Reflective logo on both sides 	37.82
E431		<p><u>50 cm extension for helmet use (battery in jersey pocket)</u></p> <ul style="list-style-type: none"> • Cold-resistant cable up to -40°F, gold-coated 5-pin connectors 	30.25
HM33-HS		<p><u>Helmet mount for bicycle helmets</u></p> <ul style="list-style-type: none"> • Universal fitting with velcro straps • Secure hold, with emergency release functionality 	15.63




BATTERY LIGHTS



RRP
w/o tax


HL3-B-X7-76		<p><u>SUPERNOVA X7 Ultimate</u></p> <ul style="list-style-type: none"> • 76 Wh Li-Ionen battery in protective battery bottle • Protected from cold up to -40°F • Charger integrated into battery for exact charge control • Charger cooled by CNC-machined cooling fins • Integrated power meter for exact burn time indication • 80% fast charge in 2 hours, protective slow charge the next 2 hours • Wide range power supply for 110-240 V • Gold-coated, IP67 certified 5-pin connectors • Cree XPG R5 LEDs • Up to 2100 Lumens max. brightness! • New, even more rugged lens with improved beam pattern • 6 brightness settings • H.I.D & LED unit can be controlled separately • The H.I.D provides high beam range and the mix of different light spectrums offers a superb contrast in all conditions • Burn time 2.5 - 63 hrs • 154 g lamp head made from anodized aerospace aluminium • Thermal separation of LED and H.I.D. unit • 2-button control unit with 4-colour indicator lights • Ultra rugged Makrolon control unit housing • Cables protected by Santoprene-hose resistant to cold up to -40° F • 2 rugged handlebar mounts for 25.4/26.0 and 31.6 mm included! • Additional burn time indication with 15-minute indication steps • Burn time indication through main beam in helmet mode • Exact electric meter and battery voltage burn time measurements • Integrated protective circuits against overheating & deep discharge • Optional rear light running from main battery (p. 3) • 320 g lamp head + 560 g battery = 880 g Set <p>May not be legal for road use in your country. Please consult your local traffic regulation authorities.</p>	839.50
K-B-X76		<p><u>B88 Battery Li-FePo4, 76 Wh</u></p> <ul style="list-style-type: none"> • Protected from cold up to -40°F, dirt, moisture and shock • Integrated power meter and charge electronics • 2000 charge cycles – 4 x more than a normal li-ion battery! • CNC-machined cooling cap, 5-pin gold-coated plug • 790 g 	263.87
E808		<p><u>Supernova Battery Tail-light</u></p> <ul style="list-style-type: none"> • Rear light supplied with power from the main battery • Small, rugged, bright and elegant • Comes with new Supernova mounting o-ring with 5-year warranty • Compatible with all X7 and M33 front lights 	105.04
E431		<p><u>50 cm extension for helmet use (battery in jersey pocket)</u></p> <ul style="list-style-type: none"> • Cold- resistant cable up to -40°F, gold-coated 5-pin connectors 	30.25
E777		<p>25.4 / 26 mm handlebar mount with stainless steel nut bolt</p>	7.56
E778		<p>31.6 mm handlebar mount with stainless steel nut bolt</p>	7.56




E-BIKE LIGHTS			RRP w/o tax
E163-S-STK-EB-GRY	 titanium grey	<p>SUPERNOVA E3 E-Bike, Terraflux lens</p> <ul style="list-style-type: none"> • German traffic law approved! • Only for exactly 6V DC current, not for batteries! • Glare-free SUPERNOVA TERRAFLUX lens • CREE LED with the highest efficiency • Excellent cooling even without airstream • No rear light cable, no switch (light is controlled via E-bike control units) • Red low battery warning indicator • Multimount bracket worth EUR 14.95 included! • Aluminium housing, protective anodized, 130 g 40x40x65 mm 	 125.21
E163-S-STK-EB-BLK	black	<ul style="list-style-type: none"> • Black anodized version 	125.21









DYNAMO LIGHTS			RRP w/o tax
E161-S-STK-GRY	 titanium grey	<p>SUPERNOVA E3 PRO, Terraflux lens, Multimount</p> <ul style="list-style-type: none"> • Multimount- version • German traffic law approved! • Terraflux-lens with wide, smooth beam • Improved beam pattern for road use • CREE LED with the highest efficiency • Extra strong, fully automatic stand light • Switch on the back • Multimount bracket worth EUR 14.95 included! • Aluminium housing, protective anodized, 130 g 40x40x65 mm 	 138.66
E161-S-STK-BLK	black	<ul style="list-style-type: none"> • Black anodized version 	138.66
E161-S-STK-WHT	white red orange green blue	 <ul style="list-style-type: none"> • Limited edition colours 	142.02
E161-S-STK-RED			
E161-S-STK-ORG			
E161-S-STK-GRN			
E161-S-STK-BLU			
E161-B-STK-GRY			
E161-B-STK-BLK	 titanium grey	<p>SUPERNOVA E3 PRO, Terraflux Lens, handlebar mount</p> <ul style="list-style-type: none"> • All-new SUPERNOVA handlebar mount • German traffic law approved! • Terraflux-lens with wide, smooth beam • Improved beam pattern for road use • CREE LED with the highest efficiency • Extra strong, fully automatic stand light • Switch on the back • Including new removable handlebar bracket with two UV-resistant o-rings with 5-year warranty for 25.4/26.0 and 31.6 mm handlebars and for stems, worth EUR 16.50 • Including gold connectors worth EUR 9.80 • Aluminium housing, protective anodized, 128 g 40x40x65 mm 	 138.66
E161-S-STK-GRY	black	<ul style="list-style-type: none"> • Black anodized version 	138.66

DYNAMO LIGHTS			RRP w/o tax
E161-S-GRY	 titanium grey	<p><u>SUPERNOVA E3 PRO Iris lens, Multimount</u></p> <ul style="list-style-type: none"> • Symmetrical „high beam“ • CREE XPG R5 LED with 370 lumen max.! • New lens eliminates dark centre at close range • Extra strong, fully automatic stand light • Switch on the back • Multimount bracket worth EUR 14.95 included! • Aluminium housing, protective anodized, 130 g 40x40x65 mm 	133.61
E161-S-BLK	black	<ul style="list-style-type: none"> • Black anodized version 	133.61
E161-B-GRY	 titanium grey	<p><u>SUPERNOVA E3 PRO Iris lens, handlebar mount</u></p> <ul style="list-style-type: none"> • Symmetrical „high beam“ • All-new SUPERNOVA handlebar mount • CREE XPG R5 LED with 370 lumen max.! • New lens with “iris” eliminates dark beam centre • Extra strong, fully automatic stand light • Switch on the back • Including new removable handlebar bracket with two UV-resistant o-rings with 5-year warranty for 25.4/26.0 and 31.6 mm handlebars and for stems, worth EUR 16.50 • Including gold connectors worth EUR 9,80 € • Aluminium housing, protective anodized, 128 g 40x40x65 mm 	138.66
E161-B-BLK	black	<ul style="list-style-type: none"> • Black anodized version 	138.66
E161-L-GRY	 titanium grey	<p><u>SUPERNOVA E3 PRO, Iris lens, Lefty mount</u></p> <ul style="list-style-type: none"> • Symmetrical „high beam“ • CREE XPG R5 LED with 370 lumen max.! • New lens with “iris” eliminates dark beam centre • Extra strong, fully automatic stand light • Switch on the back • Integrated award-winning bracket • Aluminium housing, protective anodized, 130 g 40x40x65 mm 	138.66
E161-L-BLK	black	<ul style="list-style-type: none"> • Black anodized version 	138.66

E161-T-GRY	 titanium grey	<p><u>SUPERNOVA E3 Tail Light</u></p> <ul style="list-style-type: none"> • For 6V DC, on Supernova front lights or on regulated E-Bike batteries. Do not power with normal batteries! • Supplied with stand light from Supernova front lights • Very bright, red light • Aluminium, 20 g, 30 x 10 x 10 mm • 50 mm mounting hole spacing 	32.77
E161-T-BLK	black	<ul style="list-style-type: none"> • Black anodized version 	32.77
H161-SP-T		<p><u>Supernova Spacers for Rear light</u></p> <ul style="list-style-type: none"> • To install the rear light on some racks without drilling holes • Includes stainless nuts and bolts 	2.10

E161-T-S-GRY	 titanium grey	<p><u>E3 rear light for seat post</u></p> <ul style="list-style-type: none"> • For 6V DC, on Supernova front lights or on regulated E-Bike batteries. Do not power with normal batteries! • Supplied with stand light from Supernova front lights • Very bright, red light • Including gold connectors worth EUR 9,80 € • UV-resistant o-ring with 5-year warranty • Aluminium, 30 g, 30 x 10 x 10 mm 	49.58
E161-T-S-BLK	black	<ul style="list-style-type: none"> • Black anodized version 	49.58

DYNAMO LIGHTS			RRP w/o tax
HL3-D-S-GRY	 titanium grey	<p><u>SUPERNOVA E3 Triple – Multimount-Version</u></p> <ul style="list-style-type: none"> • Off-road light with an extremely wide beam • CREE XPG R5 LEDs! • Maximal brightness of the LEDs: 800 Lumens • 110% brighter than the E3 PRO at 20 mph,! • Extra strong, fully automatic stand light- 2 Farad capacity! • Extra-rugged lens • Highly efficient new electronics • Switch on the back • Aluminium housing, protective anodized, 130 g 40x40x65 mm • Multimount bracket worth EUR 14.95 included! 	184.03
HL3-D-S-BLK	black	<ul style="list-style-type: none"> • Black anodized version 	184.03
HL3-D-S-WHT	white	 <ul style="list-style-type: none"> • Limited edition colours 	192.44
HL3-D-S-BLU	blue		
HL3-D-S-GRN	green		
HL3-D-S-ORG	orange		
HL3-D-S-RED	red		
HL3-D-B-GRY	 titanium grey	<p><u>SUPERNOVA E3 Triple – handlebar version</u></p> <ul style="list-style-type: none"> • Off-road light with an extremely wide beam • CREE XPG R5 LEDs! • Maximal brightness of the LEDs: 800 Lumens • 110% brighter than the E3 PRO at 20 mph • Extra strong, fully automatic stand light- 2 Farad capacity! • Extra-rugged lens • Highly efficient new electronics • Switch on the back • Including new removable handlebar bracket with 2 UV-resistant o-rings with 5-year warranty for 25.4/26.0 and 31.6 mm handlebars and for stems, worth EUR 16.50 • Including gold connectors worth EUR 9,80 € • Aluminium housing, protective anodized, 128 g 40x40x65 mm 	189.08
HL3-D-B-BLK	black	<ul style="list-style-type: none"> • Black anodized version 	189.08

ACCESSORIES			RRP w/o tax
H161-GC		<p><u>SUPERNOVA gold connectors</u></p> <ul style="list-style-type: none"> • Integrated crimp tubes. Makes quick removal of lights possible • Always pull on the plug, never on the cable! 	8.24
K-BM-2-GRY		<p><u>NEW! Supernova handlebar bracket</u></p> <ul style="list-style-type: none"> • 2-axis handlebar bracket, fits all lights with 10 mm wide adapter and a 6 mm bolt hole. Fits all Supernova Multimount lights • With rubber shims for 25,4/26 and 31,6 mm • Can also be installed on stems! • CNC-machined aluminium • Comes with 2 UV-resistant o-rings with 5-year warranty • 22 g only 	13.87
K-BM-2-BLK	black	Black anodized version of the handlebar bracket	13.87
KA604		<p><u>NEW! SUPERNOVA O-Ring Set</u></p> <ul style="list-style-type: none"> • Two o-rings with different elasticities (EPDM50 & 70) • Softer version for stems and 31.6 mm-handlebars As well as for seat post lights • Tougher version for 25.4/26 mm-handlebars and for M33 light • 5-year warranty! 	4.62
H161-CK-BS9		<p><u>E161-B to E161-S conversion kit</u></p> <ul style="list-style-type: none"> • E3 Lights with this adapter can be used with either the Supernova Multimount or with the handlebar bracket • Only compatible for lights made in or after 2009! 	8.32
K-CCM-2		<p><u>NEW! Carbon Central Handlebar mount</u></p> <ul style="list-style-type: none"> • Enables you to position all 25.4 mm handlebar lights centrally • Fits 25.4/26 and 31.6 mm bars • With carbon tube and Supernova-Logo, 65 g 	18.40
H780		<p><u>Central Handlebar mount</u></p> <ul style="list-style-type: none"> • Enables you to position all 25.4 mm handlebar lights centrally • Fits 25.4/26 and 31.6 mm bars • 90 g • Sale! 	13.44
H161-S-MM-GRY	 titanium grey	<p><u>SUPERNOVA Multimount</u></p> <ul style="list-style-type: none"> • Adjustable mounting bracket for all lights with 10 mm wide adapter plate and 6 mm bolt hole • With stainless steel nuts and bolts 	12.52
H161-S-MM-BLK	black	<ul style="list-style-type: none"> • Black anodized version 	12.52
K-RATi-1	 Titanium!	<p><u>NEW! Titanium adapter for road bikes (caliper brakes)</u></p> <ul style="list-style-type: none"> • For the installation of Supernova Multimounts on road bike (caliper) brakes • Resistant to vibrations and to corrosion • size: 47x16x2 mm, • weight: ca. 12 g 	8.24